

**Amendments to the Claims:**

This listing of all pending claims (including withdrawn claims) will replace all prior versions, and listings, of claims in the application. Cancelled and not entered claims are indicated with claim number and status only. The claims show added text with underlining and deleted text with ~~striketrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

**Listing of Claims:**

1. (Currently Amended) A robot toy, comprising:

a control unit formed by a ~~portion of a body~~movable leg of the robot toy,

a clutch to transmit motor power; and

a switch; wherein:

wherein a form is changed the clutch is engaged by controlling moving the control unit to change the form of the toy robot, and the motor power is transmitted so that a part of the robot toy conducts at least one among up and down movement, rotating movement, or opening and closing movement; and

the switch is switched by moving the control unit, and at least one among number of revolutions of the motor, luminescent color in the robot toy, or sound production, is changed and a different movement is performed before and after the form change.

2. (Currently Amended) The robot toy as claimed in claim 1, wherein ~~a leg forms the control unit, and~~ a standing posture form and a forward bent posture form are taken by the robot toy according to a control by movement of the control unit.

3. (Currently Amended) The robot toy as claimed in claim 1, further comprising a four section link including a link, a frame that faces the link, and two swinging links that face each other;

~~wherein one a first~~ toy component is arranged on ~~at the~~ link facing ~~a frame in a four section link;~~ and

~~the other a second~~ toy component is arranged on one of the two swinging links that face each other~~facing each other;~~ wherein:

the one of the two swinging links extending extends to an opposite side with respect to the frame and a tip thereof rotatably and swingably engages es with a rotating disk at an

eccentric position; and

~~both~~the first and second toy components are rotated and perform opening and closing movements with relative to each other by rotating the rotating disk, before or after the form change.

4. (Currently Amended) The robot toy as claimed in claim 3, wherein the frame is arranged in a trunk portion, the ~~one~~first toy component is a lower jaw, and the ~~other~~second toy component is an upper jaw.

5. (Currently Amended) A drive device for a toy that changes its form, wherein ~~one~~a first toy component is arranged on a link facing a frame in a four-section link, ~~the other~~a second toy component is arranged on one of swinging links facing each other, the one of the swinging links extending to an opposite side with respect to the frame and a tip thereof rotatably and swingably engaging with a rotating disk at an eccentric position, and ~~both~~the first and second toy components are rotated and perform open and close movements with each other by rotating the rotating disk, before or after the form change.

6. (Currently Amended) The robot toy as claimed in claim 2, wherein ~~one~~a first toy component is arranged on a link facing a frame in a four-section link, ~~the other~~a second toy component is arranged on one of swinging links facing each other, the one of the swinging links extending to an opposite side with respect to the frame and a tip thereof rotatably and swingably engaging with a rotating disk at an eccentric position, and ~~both~~the first and second toy components are rotated and perform opening and closing movements with relative to each other by rotating the rotating disk, before or after the form change.

7. (Currently Amended) The robot toy as claimed in claim 4~~6~~, wherein the frame is arranged in a trunk portion, the ~~one~~first toy component is a lower jaw, and the ~~other~~second toy component is an upper jaw.

8. (New) The robot toy as claimed in claim 2, further comprising:  
a four section link including a link, a frame that faces the link, and two swinging links that face each other;  
a first toy component arranged on the link; and

a second toy component arranged on one of the two swinging links that face each other;  
wherein:

the one of the two swinging links extends to an opposite side with respect to the frame  
and a tip thereof rotatably and swingably engages with a rotating disk at an eccentric position;  
and

the first and second toy components are rotated and perform opening and closing  
movements relative to each other by rotating the rotating disk, before or after the form change.

9. (New) A drive device for a toy that changes its form, comprising:

a four section link including a link, a frame that faces the link, and two swinging links that  
face each other;

a first toy component arranged on the link; and

a second toy component arranged on one of the two swinging links that face each other;

wherein:

the one of the two swinging links extends to an opposite side with respect to the frame  
and a tip thereof rotatably and swingably engages with a rotating disk at an eccentric position;  
and

the first and second toy components are rotated and perform opening and closing  
movements relative to each other by rotating the rotating disk, before or after the form change.